4164-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2013-D-0749]

Implanted Blood Access Devices for Hemodialysis; Guidance for Industry and Food and Drug

Administration Staff; Availability

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice of availability.

SUMMARY: The Food and Drug Administration (FDA) is announcing the availability of the guidance entitled "Implanted Blood Access Devices for Hemodialysis." This guidance was developed to support the reclassification of the implanted blood access devices for hemodialysis into class II (special controls) and to assist industry in preparing premarket notification (510(k)) submissions for implanted blood access devices for hemodialysis.

DATES: Submit either electronic or written comments on this guidance at any time. General comments on Agency guidance documents are welcome at any time.

ADDRESSES: You may submit comments as follows:

Electronic Submissions

Submit electronic comments in the following way:

 Federal eRulemaking Portal: http://www.regulations.gov. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to http://www.regulations.gov will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else's Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on http://www.regulations.gov.

• If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see "Written/Paper Submissions" and "Instructions").

Written/Paper Submissions

Submit written/paper submissions as follows:

- Mail/Hand delivery/Courier (for written/paper submissions): Division of Dockets
 Management (HFA-305), Food and Drug Administration, 5630 Fishers Lane, rm.
 1061, Rockville, MD 20852.
- For written/paper comments submitted to the Division of Dockets Management, FDA
 will post your comment, as well as any attachments, except for information
 submitted, marked and identified, as confidential, if submitted as detailed in
 "Instructions."

Instructions: All submissions received must include the Docket No. FDA-2013-D-0749 for "Implanted Blood Access Devices for Hemodialysis." Received comments will be placed in the docket and, except for those submitted as "Confidential Submissions," publicly viewable at http://www.regulations.gov or at the Division of Dockets Management between 9 a.m. and 4 p.m., Monday through Friday.

Confidential Submissions--To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states "THIS DOCUMENT CONTAINS CONFIDENTIAL INFORMATION". The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on http://www.regulations.gov. Submit both copies to the Division of Dockets Management. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as "confidential." Any information marked as "confidential" will not be disclosed except in accordance with 21 CFR 10.20 and other applicable disclosure law. For more information about FDA's posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at:

http://www.fda.gov/regulatoryinformation/dockets/default.htm.

<u>Docket</u>: For access to the docket to read background documents or the electronic and written/paper comments received, go to http://www.regulations.gov and insert the docket number, found in brackets in the heading of this document, into the "Search" box and follow the prompts and/or go to the Division of Dockets Management, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852.

An electronic copy of the guidance document is available for download from the Internet. See the SUPPLEMENTARY INFORMATION section for information on electronic access to the guidance. Submit written requests for a single hard copy of the guidance document entitled "Implanted Blood Access Devices for Hemodialysis" to the Office of the Center Director, Guidance and Policy Development, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, rm. 5431, Silver Spring, MD 20993-0002. Send one self-addressed adhesive label to assist that office in processing your request. FOR FURTHER INFORMATION CONTACT: Rebecca Nipper, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, rm. 1540, Silver Spring, MD 20993-0002, 301-796-6527.

SUPPLEMENTARY INFORMATION:

I. Background

This guidance provides recommendations to assist manufacturers in developing their premarket submissions of implanted blood access devices for hemodialysis regulated under 21 CFR 876.5540(a)(1). The draft of this guidance document was issued concurrently with the proposed reclassification of implanted blood access devices under § 876.5540(a)(1). FDA published a proposed order to reclassify this device in the Federal Register of June 28, 2013 (78 FR 38867) and announced the availability of the draft guidance elsewhere in the same issue of the Federal Register (78 FR 38994). The comment period for the draft guidance closed on August 27, 2013. FDA also held a meeting of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee (the Panel), on June 27, 2013 (78 FR 25747, May 2, 2013), to discuss whether implanted blood access devices should be reclassified or remain in class III. The draft guidance supported the proposed reclassification.

In response to the draft guidance, FDA received comments from one commenter. The comments, in addition to the feedback from the Panel, were considered and discussed in the final order reclassifying this device type into class II (special controls) (79 FR 43241, July 25, 2014). This final guidance references the special controls for this device type, and the recommendations in the draft guidance were modified to be consistent with revisions to the special controls as codified in the final order.

II. Significance of Guidance

This guidance is being issued consistent with FDA's good guidance practices regulation (21 CFR 10.115). The guidance represents the Agency's current thinking on implanted blood access devices for hemodialysis. It does not create or confer any rights for or on any person and does not operate to bind FDA or the public. An alternative approach may be used if such approach satisfies the requirements of the applicable statute and regulations.

III. Electronic Access

Persons interested in obtaining a copy of the guidance may do so by downloading an electronic copy from the Internet. A search capability for all Center for Devices and Radiological Health guidance documents is available at http://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/GuidanceDocuments/defaul t.htm. Guidance documents are also available at http://www.regulations.gov. Persons unable to download an electronic copy of "Implanted Blood Access Devices for Hemodialysis" may send an email request to CDRH-Guidance@fda.hhs.gov to receive an electronic copy of the document. Please use the document number 1781 to identify the guidance you are requesting.

IV. Paperwork Reduction Act of 1995

This guidance refers to previously approved collections of information found in FDA

6

regulations. These collections of information are subject to review by the Office of Management

and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501-3520). The collections of information in 21 CFR part 807, subpart E have been approved under OMB

control number 0910-0120; the collections of information in 21 CFR part 820 have been

approved under OMB control number 0910-0073; the collections of information in 21 CFR part

801 and 809 have been approved under OMB control number 0910-0485; the collections of

information in 21 CFR part 812 have been approved under OMB control number 0910-0078; and

the collections of information in 21 CFR part 50 and 56 have been approved under OMB control

number 0910-0130.

Dated: January 14, 2016.

Leslie Kux,

Associate Commissioner for Policy.

[FR Doc. 2016-01094 Filed: 1/20/2016 8:45 am; Publication Date: 1/21/2016]